

Data sheet

Keystone wall outlet AP 1 port pure white unequipped

Page 1/4

P/N

1309140002KE


EAN 4250184140955

2017-01-08

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- very compact surface-mounted termination unit for individual Keystone modules
- module plug direction 90° downwards
- strain relief with cable tie at the module
- label window for identification labels (labels included in the delivery)
- integrated dust protection shutter
- cover parts in color similar to pure white RAL 9010, glossy surface
- not suitable for 180° couplers (anti-bend sleeves for patch cables usually too long)
- variants: 1 port, 2 ports



Data sheet

Page 2/4

Keystone wall outlet AP 1 port pure white unequipped

P/N

1309140002KE

EAN 4250184140955

2017-01-08

Technical Data

General Data

Fields of application	Office
Design	Wall outlet
Mounting style	surface mount
Color	white
Dimensions	
Dimension (L x W x H)	65.00 x 37.00 x 30.00 mm
Dimension (L x W x H)	2.559 x 1.457 x 1.181 in.
Modularity	yes
Labeling option	label window with identification label
Marking option	by dust protection

Connections/interfaces

Number of ports interface 2	1
Number of ports interface 2 equipped	0
Module plug-in direction	90° downwards

Mechanical characteristics

Cut-out	Keystone
strain relief	attached to module

Materials and material properties

Material - Label window	ABS, transparent
Material - Dust protection	ABS

Approvals

RoHS	compliant
------	-----------

Classifications

ETIM 5.0	EC001264
ETIM 6.0	EC001264



Data sheet

Page 3/4

Keystone wall outlet AP 1 port pure white unequipped

P/N

1309140002KE

EAN 4250184140955

2017-01-08

Technical Data

Packing details

Type of packaging	1 pc(s) / plastic bag
Packaging unit - Weight (gram)	35.00 g
Packaging unit - Weight (pound)	0.08 lb



Keystone wall outlet AP 1 port pure white unequipped

P/N

1309140002KE

EAN 4250184140955

2017-01-08

Illustrations

Dimensional drawing

